

Opti Frames®

- Opti Frame® 0.55" / 14 mm
 - 0.55" / 14 mm Silver Anodized
 - 0.55" / 14 mm Black
 - 0.55" / 14 mm Wood Effect
- Opti Frame® 1" / 25 mm
 - 1" / 25 mm Silver Anodized
 - 1" / 25 mm Black
 - 1" / 25 mm Wood Effect
- Opti Frame® in Colors



With our new product, we aim to bring a new dimension of performance to retail display frames.

Our R&D team has focused their extensive knowledge on transforming production processes to create a completely new type of front loading display frame.

Opti Frame not only delivers multi functional applications with a variety of mounting options, but is specifically engineered to offer very competitive pricing in response to the demands of the competitive snap frame market.


The product is protected worldwide by relevant patent applications.

Our Opti Frame family progressively welcomes new additions in sizes.


Opti Frame can be used for signage needs in many locations: Offices, hotels, hospitals, schools, airports, stores, apartments and many more..

Profile Type

0.55" - 14 mm



1" - 25 mm



Frame Color




Silver




Black




Wood Effect



Clear PET cover



Safety corner



Easy open snap profiles

Smart design with distinctive features... "no sharp edges"


Optimized use! Goes on counters, goes on walls...

Low cost snap frames with advanced design

Multi functional use

PROFILE OPTIONS			
Poster Size	0.55" Profile Safety	1" Profile Safety	Counter Support
5"X7"	✓	x	✓
8"X10"	✓	x	✓
8.5"X11"	x	✓	✓
11"X17"	x	✓	x
22"X28"	x	✓	x



Opti Frame can be used for signage needs in many locations: Offices, hotels, hospitals, schools, airports, stores, apartments and many more...



Opti Frames®



See movie at our website www.mtdisplays.com.tr



0.55" / 14 mm Profile, 45°

- Gray color backing and counter support.
- The front profiles are silver anodized.
- Eco-friendly.
- The product is protected worldwide by all relevant patent applications.
- Anti-glare poster cover sheet.



Opti Frame comes ready for wall mounting with 2 holes on both long sides. Wall hanging is also available with wall hanger holes placed on short and long sides.



Optional counter support offers a new counter stand position available standard in each unit in portrait and landscape position. Safety corners ensure maximum safety in public areas.



Suitable for silk screen printing, max. letter height is 0.28" mm.



Patent: PCT/TR06/000018 - WO 2007/126397 - EP 2016574 - DE 20 2006 020 145 - US 2009/211134 - AU 2006342800 - CN 101473363 - CA 2654307 - UA 2008 13893 - EA 200802174/26 - IN WO 2007/126397 - ZA 2008/09638 - TR 2007 05704 - OHIM 831235-0001,2,3,4



Multi functional use

Portrait

Landscape



MATERIAL : Silver anodized aluminum PROFILE : 0.55" / 45°					WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	DESCRIPTION	WITH PACKING	*W X H X D
UCP145N057	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	Without support	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145N157	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	With support	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145N000	8.82" X 10.83"	8" X 10"	7.60" X 8.82"	Without support	0.661 lbs	10.24" X 12.20" X 0.94"
UCP145N100	8.82" X 10.83"	8" X 10"	7.60" X 8.82"	With support	0.661 lbs	10.24" X 12.20" X 0.94"

*W:Width H: Height D: Depth



Opti Frames®



See movie at our website www.mtdisplays.com.tr



0.55" / 14 mm Profile, 45° - Black

- Black color backing and counter support.
- The front profiles have black powder coating RAL 9005.
- Eco-friendly.
- The product is protected worldwide by all relevant patent applications.
- Anti-glare poster cover sheet.



Opti Frame comes ready for wall mounting with 2 holes on both long sides. Wall hanging is also available with wall hanger holes placed on short and long sides.



Optional counter support offers a new counter stand position available standard in each unit in portrait and landscape position. Safety corners ensure maximum safety in public areas.



Suitable for silk screen printing, max. letter height is 0.28" mm.



Patent: PCT/TR06/000018 - WO 2007/126397 - EP 2016574 - DE 20 2006 020 145 - US 2009/211134 - AU 2006342800 - CN 101473363 - CA 2654307 - UA 2008 13893 - EA 200802174/26 - IN WO 2007/126397 - ZA 2008/09638 - TR 2007 05704 - OHIM 831235-0001,2,3,4



Multi functional use

Portrait

Landscape



MATERIAL : Black powder coated RAL 9005 PROFILE : 0.55" / 45°					WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	DESCRIPTION	WITH PACKING	*W X H X D
UCP145B057	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	Without support	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145B157	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	With support	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145B000	8.82" X 10.83"	8" X 10"	7.60" X 8.82"	Without support	0.661 lbs	9.84" X 12.60" X 0.94"
UCP145B100	8.82" X 10.83"	8" X 10"	7.60" X 8.82"	With support	0.661 lbs	9.84" X 12.60" X 0.94"

*W:Width H: Height D: Depth



Opti Frames®



See movie at our website www.mtdisplays.com.tr



0.55" / 14 mm Profile, 45° - Wood Effect

- Wooden color backing and counter support.
- The front profiles have a wood effect finish.
- Eco-friendly.
- The product is protected worldwide by all relevant patent applications.
- Anti-glare poster cover sheet.



Opti Frame comes ready for wall mounting with 2 holes on both long sides. Wall hanging is also available with wall hanger holes placed on short and long sides.



Optional counter support offers a new counter stand position available standard in each unit in portrait and landscape position. Safety corners ensure maximum safety in public areas.



Suitable for silk screen printing, max. letter height is 0.28" mm.



Patent: PCT/TR06/000018 - WO 2007/126397 - EP 2016574 - DE 20 2006 020 145 - US 2009/211134 - AU 2006342800 - CN 101473363 - CA 2654307 - UA 2008 13893 - EA 200802174/26 - IN WO 2007/126397 - ZA 2008/09638 - TR 2007 05704 - OHIM 831235-0001,2,3,4



Multi functional use

Portrait

Landscape



MATERIAL : Wood Look Effect PROFILE : 0.55" / 45°					WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	DESCRIPTION	WITH PACKING	*W X H X D
UCP145W057	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	Without support	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145W157	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	With support	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145W000	8.82" X 10.83"	8" X 10"	7.60" X 8.82"	Without support	0.661 lbs	9.84" X 12.60" X 0.94"
UCP145W100	8.82" X 10.83"	8" X 10"	7.60" X 8.82"	With support	0.661 lbs	9.84" X 12.60" X 0.94"

*W:Width H: Height D: Depth



Opti Frames®



See movie at our website www.mtdisplays.com.tr



1" / 25 mm Profile, 45°

- Gray color backing and counter support.
- The front profiles are silver anodized.
- Eco-friendly.
- The product is protected worldwide by all required patent applications.
- Anti-glare poster cover sheet.



Opti Frame comes ready for wall mounting with 2 holes on both long sides. Wall hanging is also available with wall hanger holes placed on short and long sides.



Optional counter support offers a new counter stand position available standard in each unit in portrait and landscape position. Safety corners ensure maximum safety in public areas.



Suitable for silk screen printing, max. letter height is 0.59".

Patent: PCT/TR06/000018 - WO 2007/126397 - EP 2016574 - DE 20 2006 020 145 - US 2009/211134 - AU 2006342800 - CN 101473363 - CA 2654307 - UA 2008 13893 - EA 200802174/26 - IN WO 2007/126397 - ZA 2008/09638 - TR 2007 05704 - OHIM 831235-0001,2,3,4



Multi functional use



Portrait

Landscape

Wall mount
screw hole

Wall
hanger
hole

Counter-top
stand support



MATERIAL : Silver anodized aluminum PROFILE : 1" / 45°						WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	DESCRIPTION		WITH PACKING	*W X H X D
UCP255N081	9.72" X 12.22"	8.5" X 11"	7.75" X 10.25"	Without support		0.981 lbs	10.63" X 13.39" X 0.94"
UCP255N181	9.72" X 12.22"	8.5" X 11"	7.75" X 10.25"	With support		0.981 lbs	10.63" X 13.39" X 0.94"
UCP255N017	12.22" X 18.22"	11" X 17"	9.78" X 15.78"	Without support		1.873 lbs	12.99" X 18.90" X 0.94"
UCP255N022	23.22" X 29.22"	22" X 28"	21.25" X 27.25"	Without support		4.034 lbs	23.62" X 29.53" X 0.94"


* W:Width H: Height D: Depth



Opti Frames®



See movie at our website www.mtdisplays.com.tr



1" / 25 mm Profile, 45° - Black

- Black color backing and counter support.
- The front profiles have black powder coating RAL 9005.
- Eco-friendly.
- The product is protected worldwide by all relevant patent applications.
- Anti-glare poster cover sheet.



Opti Frame comes ready for wall mounting with 2 holes on both long sides. Wall hanging is also available with wall hanger holes placed on short and long sides.



Optional counter support offers a new counter stand position available standard in each unit in portrait and landscape position. Safety corners ensure maximum safety in public areas.



Suitable for silk screen printing, max. letter height is 0.59".



Patent: PCT/TR06/000018 - WO 2007/126397 - EP 2016574 - DE 20 2006 020 145 - US 2009/211134 - AU 2006342800 - CN 101473363 - CA 2654307 - UA 2008 13893 - EA 200802174/26 - IN WO 2007/126397 - ZA 2008/09638 - TR 2007 05704 - OHIM 831235-0001,2,3,4



Multi functional use

Portrait

Landscape



MATERIAL : Black powder coated RAL 9005 PROFILE : 1" / 45°					WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	DESCRIPTION	WITH PACKING	*W X H X D
UCP255B081	9.72" X 12.22"	8.5" X 11"	7.75" X 10.25"	Without support	0.981 lbs	10.63" X 13.39" X 0.94"
UCP255B181	9.72" X 12.22"	8.5" X 11"	7.75" X 10.25"	With support	0.981 lbs	10.63" X 13.39" X 0.94"
UCP255B017	12.22" X 18.22"	11" X 17"	9.78" X 15.78"	Without support	1.873 lbs	12.99" X 18.90" X 0.94"
UCP255B022	23.22" X 29.22"	22" X 28"	21.25" X 27.25"	Without support	4.034 lbs	23.62" X 29.53" X 0.94"


* W:Width H: Height D: Depth



Opti Frames®



See movie at our website www.mtdisplays.com.tr



1" / 25 mm Profile, 45° - Wood Effect

- Wooden color backing and counter support.
- The front profiles have a Wood Effect Finish.
- Eco-friendly.
- The product is protected worldwide by all required patent applications.
- Anti-glare poster cover sheet.




Opti Frame comes ready for wall mounting with 2 holes on both long sides. Wall hanging is also available with wall hanger holes placed on short and long sides.






Optional counter support offers a new counter stand position available standard in each unit in portrait and landscape position. Safety corners ensure maximum safety in public areas.

Patent: PCT/TR06/000018 - WO 2007/126397 - EP 2016574 - DE 20 2006 020 145 - US 2009/211134 - AU 2006342800 - CN 101473363 - CA 2654307 - UA 2008 13893 - EA 200802174/26 - IN WO 2007/126397 - ZA 2008/09638 - TR 2007 05704 - OHIM 831235-0001,2,3,4



Multi functional use



MATERIAL : Wood Look Effect PROFILE : 1" / 45°					WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	DESCRIPTION	WITH PACKING	*W X H X D
UCP255W181	9.72" X 12.22"	8.5" X 11"	7.75" X 10.25"	With support	0.981 lbs	10.63" X 13.39" X 0.94"
					*W:Width H: Height D: Depth	



Opti Frame®

Now in Colors



Spring colors in Opti Frame
Multi-functional Opti Frame is now available in colors.
New colors in different sizes. No minimum order
quantity. Fits well in all environments.






6 Colors



Stands on counter

Opti®
Frame
www.opti-frame.com



MATERIAL : RAL powder coated PROFILE : 0.55" / 45°					WEIGHT	PACKING SIZE
ARTICLE	EXTERNAL (x-y)	POSTER	COPY	DESCRIPTION	WITH PACKING	*W X H X D
UCP145B157	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	RAL 9005 - Black	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145E157	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	RAL 6029 - Green	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145H157	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	RAL 9003 - White	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145L157	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	RAL 5002 - Blue	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145Y157	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	RAL 1021 - Yellow	0.396 lbs	6.69" X 8.66" X 0.94"
UCP145R157	5.83" X 7.83"	5" X 7"	4.61" X 6.61"	RAL 3020 - Red	0.396 lbs	6.69" X 8.66" X 0.94"

* W:Width H: Height D: Depth



