

SwingPro® Plus

new



See movie at our website www.mtdisplays.com.tr


With increase performance, SwingPro® Plus is more durable against outdoor conditions. It consists of 2 main articles: frame and the base. The gasket in frame provides high vacuuming to UV resistant poster protection to keep the poster dry. PET is fixed on the top profile to help easy poster change. The poster stickers which is suitable for re-use upto 100 times are also keep the poster in place avoid sliding down the frame get wet. No sharp edges and has steel springs for flexibility. Poster use is double sided.

Base standard in dark grey color or black. Other colors are available upon request. Ground wheels in upside position enable easy movement of the product.

Please note that if the frame of SwingPro Plus and WindPro Plus is required with a "HEADER" option, then the standard articles cannot be used, please contact our sales department for the articles with a header option. Please place the poster on stickers inside the water wick around the inner frame.

Do not forget to order carry tool.

Assembly in 65-75 seconds.



| STEEL BASE : Silver anodised aluminium | | | | | | | WEIGHT | PACKING SIZE |
|--|------------|--------|---------|--------|--------|--------|--------------|------------------------|
| SILVER | BLACK | SIZE | FOR | H | W | D | WITH PACKING | *W X H X D |
| UTSM001000 | UTSM001010 | 36.22" | 20"X30" | 44.84" | 27.17" | 36.22" | 7.716 lbs | 8.66" X 38.19" X 1.85" |
| | | | 22"X28" | 42.83" | 27.17" | 36.22" | 7.716 lbs | 8.66" X 38.19" X 1.85" |
| UTSM002000 | UTSM002010 | 42.13" | 24"X36" | 50.87" | 27.17" | 42.13" | 8.818 lbs | 8.66" X 46.46" X 1.85" |
| UTSM003000 | UTSM003010 | 49.61" | 30"X40" | 54.21" | 35.04" | 49.61" | 10.141 lbs | 8.66" X 51.57" X 1.85" |
| | | | F0 | 62.09" | 35.04" | 55.91" | 10.141 lbs | 8.66" X 51.57" X 1.85" |

| FRAME : Powder coated steel | | | | | | WEIGHT | PACKING SIZE |
|-----------------------------|------------|-----------------|-----------|-----------------|--|--------------|-------------------------|
| SILVER | BLACK | EXTERNAL (x-y) | POSTER | COPY | | WITH PACKING | *W X H X D |
| USWPP00N22 | USWPP00N22 | 25.03" X 31.03" | 22" X 28" | 21.53" X 27.53" | | 17.526 lbs | 26.18" X 40.55" X 1.57" |
| USWPP00N23 | USWPP00N23 | 23.03" X 33.03" | 20" X 30" | 19.53" X 29.53" | | 17.526 lbs | 24.21" X 43.31" X 1.57" |
| USWPP00N24 | USWPP00N24 | 27.03" X 39.03" | 24" X 36" | 23.53" X 35.53" | | 19.731 lbs | 27.95" X 48.82" X 1.57" |
| USWPP00N34 | USWPP00N34 | 33.03" X 43.03" | 30" X 40" | 29.53" X 39.53" | | 24.912 lbs | 34.45" X 53.15" X 1.57" |
| USWPP00NFO | USWPP00NFO | 36.14" X 55.04" | F0 | 32.64" X 51.54" | | 28.660 lbs | 34.65" X 59.06" X 1.57" |

* W: Width H: Height D: Depth




WindPro® Plus



See movie at our website www.mtdisplays.com.tr

new



With increase performance, WindPro® Plus is more durable against outdoor conditions. It consists of 2 main articles: frame and the base. The gasket in frame provides high vacuuming to UV resistant poster protection to keep the poster dry. PET is fixed on the top profile to help easy poster change. The poster stickers which is suitable for re-use upto 100 times are also keep the poster in place avoid sliding down the frame get wet. No sharp edges and has steel springs for flexibility. Poster use is double sided.

Base standard in dark grey color or black. Other colors are available upon request. Ground wheels in upside position enable easy movement of the product.

Please note that if the frame of SwingPro Plus and WindPro Plus is required with a "HEADER" option, then the standard articles cannot be used, please contact our sales department for the articles with a header option. Please place the poster on stickers inside the water wick around the inner frame.

Do not forget to order carry tool.

Assembly in 65-75 seconds.

UYUP480945
Optional
carry tool.

One top
goes with
2 different
bases.



1.30" / 33 mm
depth

1.73" / 44 mm
design profile



Newtech Waterbase

Stell Base


Patent No: OHIM DM/084 128

Snap open

Safe corner





Clear cover
hanger



Adhesive
poster tape



Strong PP
backing



| NEWTECH WATER BASE: HLDPE | | | | | | | WEIGHT | PACKING SIZE |
|---------------------------|------------|-----------------|-----------|--------|--------|--------|--------------|-------------------------|
| SILVER | BLACK | SIZE | FOR | H | W | D | WITH PACKING | *W X H X D |
| UTWM003000 | UTWM003010 | 28.35" X 20.87" | 20" X 30" | 42.87" | 28.35" | 20.87" | 9.876 lbs | 21.85" X 29.53" X 7.01" |
| | | | 22" X 28" | 40.87" | 28.35" | 20.87" | | |
| | | | 24" X 36" | 48.90" | 28.35" | 20.87" | | |
| UTWM004000 | UTWM04010 | 35.43" X 24.80" | 30" X 40" | 52.87" | 35.43" | 24.80" | 15.101 lbs | 23.82" X 36.61" X 7.01" |
| | | | F0 | 48.90" | 35.43" | 24.80" | | |

| FRAME : Powder coated steel | | | | | | WEIGHT | PACKING SIZE |
|-----------------------------|------------|-----------------|-----------|-----------------|--|--------------|-------------------------|
| SILVER | BLACK | EXTERNAL (x-y) | POSTER | COPY | | WITH PACKING | *W X H X D |
| USWPP00N22 | USWPP00N22 | 25.03" X 31.03" | 22" X 28" | 21.53" X 27.53" | | 17.526 lbs | 26.18" X 40.55" X 1.57" |
| USWPP00N23 | USWPP00N23 | 23.03" X 33.03" | 20" X 30" | 19.53" X 29.53" | | 17.526 lbs | 24.21" X 43.31" X 1.57" |
| USWPP00N24 | USWPP00N24 | 27.03" X 39.03" | 24" X 36" | 23.53" X 35.53" | | 19.731 lbs | 27.95" X 48.82" X 1.57" |
| USWPP00N34 | USWPP00N34 | 33.03" X 43.03" | 30" X 40" | 29.53" X 39.53" | | 24.912 lbs | 34.45" X 53.15" X 1.57" |
| USWPP00NFO | USWPP00NFO | 36.14" X 55.04" | F0 | 32.64" X 51.54" | | 28.660 lbs | 34.65" X 59.06" X 1.57" |




* W: Width H: Height D: Depth

SwingPro® Lite



See movie at our website www.mtdisplays.com.tr

new






SwingPro® Lite is heavy and robust waterbase pavement sign for outdoor. It consists of 2 main articles: frame and the base. No sharp edges and has steel springs for flexibility. Poster use is double sided. Recommended to use film posters.

Base standard in dark grey color or black. Other colors are available upon request. Ground wheels in upside position enable easy movement of the product.

Please note that if the frame of SwingPro Plus and WindPro Plus is required with a "HEADER" option, then the standard articles cannot be used, please contact our sales department for the articles with a header option. Please place the poster on stickers inside the water wick around the inner frame.

Do not forget to order carry tool.

Assembly in 65-75 seconds.



| STEEL BASE : Silver anodised aluminium | | | | | | | WEIGHT | PACKING SIZE |
|--|------------|-----------|-----------|--------|--------|------------|------------------------|------------------------|
| SILVER | BLACK | SIZE | FOR | H | W | D | WITH PACKING | *W X H X D |
| UTSM001000 | UTSM001010 | 36.22" | 22" X 28" | 41.30" | 27.17" | 36.22" | 7.716 lbs | 8.66" X 38.19" X 1.85" |
| UTSM002000 | UTSM002010 | 42.13" | 24" X 36" | 49.33" | 27.17" | 42.13" | 8.818 lbs | 8.66" X 46.46" X 1.85" |
| UTSM003000 | UTSM003010 | 49.61" | 28" X 44" | 57.28" | 35.04" | 49.61" | 10.141 lbs | 8.66" X 51.57" X 1.85" |
| | | 30" X 40" | 53.31" | 35.04" | 49.61" | 10.141 lbs | 8.66" X 51.57" X 1.85" | |

| FRAME : Silver anodised aluminium | | | | | | WEIGHT | PACKING SIZE |
|-----------------------------------|------------|-----------------|-----------|-----------------|--|--------------|-------------------------|
| SILVER | BLACK | EXTERNAL (x-y) | POSTER | COPY | | WITH PACKING | *W X H X D |
| USWPL00N22 | USWPL00B22 | 23.50" X 29.49" | 22" X 28" | 20.98" X 26.98" | | 12.015 lbs | 25.39" X 39.76" X 1.38" |
| USWPL00N24 | USWPL00B24 | 25.51" X 37.52" | 24" X 36" | 22.98" X 34.98" | | 14.418 lbs | 27.17" X 47.83" X 1.38" |
| USWPL00N34 | USWPL00B34 | 31.50" X 41.50" | 30" X 40" | 28.98" X 38.98" | | 18.739 lbs | 33.27" X 51.77" X 1.38" |
| USWPL00N84 | USWPL00B84 | 29.50" X 45.50" | 28" X 44" | 26.98" X 42.98" | | 19.841 lbs | 31.30" X 55.71" X 1.38" |



* W: Width H: Height D: Depth

WindPro® Lite



See movie at our website www.mtdisplays.com.tr

new





WindPro® Lite is heavy and robust waterbase pavement sign for outdoor. It consists of 2 main articles: frame and the base. No sharp edges and has steel springs for flexibility. Poster use is double sided. Recommended to use film posters.

Base standard in dark grey color or black. Other colors are available upon request. Ground wheels in upside position enable easy movement of the product.

Please note that if the frame of SwingPro Plus and WindPro Plus is required with a "HEADER" option, then the standard articles cannot be used, please contact our sales department for the articles with a header option. Please place the poster on stickers inside the water wick around the inner frame.

Do not forget to order carry tool.

Assembly in 65-75 seconds.



| NEWTECH WATERBASE : HLDPE | | | | | | | WEIGHT | PACKING SIZE |
|---------------------------|------------|-----------------|-----------|--------|--------|--------|--------------|-------------------------|
| SILVER | BLACK | SIZE | FOR | H | W | D | WITH PACKING | *W X H X D |
| UTWM003000 | UTWM003010 | 28.35" X 20.87" | 22" X 28" | 39.33" | 28.35" | 20.87" | 9.876 lbs | 21.85" X 29.53" X 7.01" |
| | | | 24" X 36" | 47.36" | 28.35" | 20.87" | 9.876 lbs | 21.85" X 29.53" X 7.01" |
| UTWM004000 | UTWM004010 | 35.43" X 24.80" | 28" X 44" | 55.31" | 35.43" | 24.80" | 15.101 lbs | 23.82" X 36.61" X 7.01" |
| | | | 30" X 40" | 51.34" | 35.43" | 24.80" | 15.101 lbs | 23.82" X 36.61" X 7.01" |



| FRAME : Silver anodised aluminium | | | | | | WEIGHT | PACKING SIZE |
|-----------------------------------|------------|-----------------|-----------|-----------------|--|--------------|-------------------------|
| SILVER | BLACK | EXTERNAL (x-y) | POSTER | COPY | | WITH PACKING | *W X H X D |
| USWPL00N22 | USWPL00B22 | 23.50" X 29.49" | 22" X 28" | 20.98" X 26.98" | | 12.015 lbs | 25.39" X 39.76" X 1.38" |
| USWPL00N24 | USWPL00B24 | 25.51" X 37.52" | 24" X 36" | 22.98" X 34.98" | | 14.418 lbs | 27.17" X 47.83" X 1.38" |
| USWPL00N34 | USWPL00B34 | 31.50" X 41.50" | 30" X 40" | 28.98" X 38.98" | | 18.739 lbs | 33.27" X 51.77" X 1.38" |
| USWPL00N84 | USWPL00B84 | 29.50" X 45.50" | 28" X 44" | 26.98" X 42.98" | | 19.841 lbs | 31.30" X 55.71" X 1.38" |



* W: Width H: Height D: Depth

BannerPro

new



Reasonably priced and practical BannerPro is suitable for outdoor use. Solid finish on the iron profiles provide elegant image to product. O rings included in the product.

Suitable for windy outdoor conditions. Packed unassembled.

Stain free outdoor powder coating.

Available in Silver and Black as standard.

Color options:




One top goes with 2 different bases.

Newtech Waterbase

Stell Base



UYUP480945
Optional
carry tool.
Pulling force
13,227"-
17,636" max.



| FRAME : Powder coated aluminium | | | | | WEIGHT | PACKING SIZE |
|---------------------------------|------------|-----------------|-----------|-----------------|--------------|-------------------------|
| SILVER | BLACK | EXTERNAL (x-y) | POSTER | COPY | WITH PACKING | *W X H X D |
| UBPON00024 | UBPOB00024 | 25.73" X 37.73" | 24" X 36" | 24.08" X 36.08" | 11.287 lbs | 28.35" X 50" X 1.85" |
| UBPON00034 | UBPOB00034 | 31.73" X 41.73" | 30" X 40" | 30.08" X 40.08" | 16.358 lbs | 35.04" X 53.94" X 1.85" |

| STEEL BASE : Powder coated aluminium | | | | | | | WEIGHT | PACKING SIZE |
|--------------------------------------|------------|-----------|--------|--------|--------|--|--------------|------------------------|
| SILVER | BLACK | FOR | H | W | D | | WITH PACKING | *W X H X D |
| UTSM002000 | UTSM002010 | 24" X 36" | 50.63" | 27.17" | 42.13" | | 12.345 lbs | 8.66" X 46.46" X 1.85" |
| UTSM003000 | UTSM003010 | 30" X 40" | 54.65" | 35.04" | 49.61" | | 10.141 lbs | 8.66" X 51.57" X 1.85" |

| NEWTECH WATERBASE : HLDPE | | | | | | | WEIGHT | PACKING SIZE |
|---------------------------|------------|-----------|--------|--------|--------|--|--------------|-------------------------|
| SILVER | BLACK | FOR | H | W | D | | WITH PACKING | *W X H X D |
| UTWM003000 | UTWM003010 | 24" X 36" | 48.46" | 28.35" | 20.87" | | 9.876 lbs | 21.85" X 29.53" X 7.01" |
| UTWM004000 | UTWM004010 | 30" X 40" | 52.48" | 35.43" | 24.80" | | 15.101 lbs | 23.82" X 36.61" X 7.01" |

* W:Width H: Height D: Depth



Slide-in SwingPro® & WindPro®

new



Top opening Slide-in WindPro® is a well designed outdoor product. Poster is secured in the lockable frame and stands firm between the cover and backing. Safe corners of the frame complies health and safety regulations. The springs stabilize the poster and frame in outdoor conditions.

- Single packed in 2 boxes with an easy mounting instruction sheet.
- Bottom profile of sandwich slide-in panel provide easy application.
- Heavy long feet on the base provide stability.



Color options:




UYUP480945
Optional carry tool.
Pulling force
13,227" - 17,636" max.



One top goes with 2 different bases.



Patent No: OHIM DM/084 128



| FRAME : Silver anodised aluminium | | | | | WEIGHT | PACKING SIZE |
|-----------------------------------|------------|-----------------|-----------|-----------------|--------------|-------------------------|
| SILVER | BLACK | EXTERNAL (x-y) | POSTER | COPY | WITH PACKING | *W X H X D |
| USWS000N22 | USWS000B28 | 24.84" X 30.83" | 22" X 28" | 21.69" X 27.68" | 17.868 lbs | 26.77" X 41.34" X 1.85" |
| USWS000N24 | USWS000B24 | 26.85" X 38.82" | 24" X 36" | 23.70" X 35.67" | 21.142 lbs | 29.53" X 50" X 1.85" |
| USWS000N74 | USWS000B74 | 29.84" X 42.83" | 27" X 40" | 26.69" X 39.69" | 24.890 lbs | 32.28" X 52.76" X 1.85" |

| STEEL BASE : Powder coated aluminium | | | | | | WEIGHT | PACKING SIZE |
|--------------------------------------|------------|-----------|--------|--------|--------|--------------|------------------------|
| SILVER | BLACK | FOR | H | W | D | WITH PACKING | *W X H X D |
| UTSM002000 | UTSM002010 | 22" X 28" | 42.64" | 27.17" | 42.13" | 8.818 lbs | 8.66" X 46.46" X 1.85" |
| UTSM002000 | UTSM002010 | 24" X 36" | 50.63" | 27.17" | 42.13" | 12.345 lbs | 8.66" X 46.46" X 1.85" |
| UTSM003000 | UTSM003010 | 30" X 40" | 54.65" | 35.04" | 49.61" | 10.141 lbs | 8.66" X 51.57" X 1.85" |

| NEWTECH WATERBASE : HLDPE | | | | | | WEIGHT | PACKING SIZE |
|---------------------------|------------|-----------|--------|--------|--------|--------------|-------------------------|
| SILVER | BLACK | FOR | H | W | D | WITH PACKING | *W X H X D |
| UTWM003000 | UTWM003010 | 22" X 28" | 40.47" | 28.35" | 20.87" | 9.876 lbs | 21.85" X 29.53" X 7.01" |
| UTWM003000 | UTWM003010 | 24" X 36" | 48.46" | 28.35" | 20.87" | 9.876 lbs | 21.85" X 29.53" X 7.01" |
| UTWM004000 | UTWM004010 | 30" X 40" | 52.48" | 35.43" | 24.80" | 15.101 lbs | 23.82" X 36.61" X 7.01" |

*W:Width H: Height D: Depth



Mix and Match



See movie at our website www.mtdisplays.com.tr

Newtech Waterbase

Small

- Printing area: 11.81"x3.15"
- Base Weight: 77.161 lbs.
- Water Capacity: 811.536 oz.
- Weight when full with water: 60.627 lbs.

Large

- Printing area: 7.72"x3.54"
- Base Weight: 11.023 lbs.
- Water Capacity: 1352.560 oz.
- Weight when full with water: 99.208 lbs.

Roto Waterbase

Small Base

- Used in 20"x30", 22"x28" sizes.
- Weight when empty is 11.023 lbs.
- Weight when filled with water is 77.161 lbs.
- Small base can take in 1014.420 oz of water.

Large Base

- Used in 30"x40" sizes.
- Weight when empty is 14.330 lbs.
- Weight when filled with water is 94.798 lbs.
- Large base can take in 1234.211 oz of water.

Medium Leg

- Used in 20"x30", 22"x28" sizes.

Large Leg

- Used in 30"x40" size.

The weights are approximate values per each base.

Newtech Waterbase / Lite Frame



Roto Waterbase / Standard Frame




Newtech Waterbase / Plus Frame



Newtech Waterbase / Slide-in Frame




Steel Base




| ARTICLE | SIZE (x-y) | DESCRIPTION |
|------------|-----------------|--------------|
| UTSM003000 | 35.04" X 49.61" | Large-Grey |
| UTSM003010 | 35.04" X 49.61" | Large-Black |
| UTSM002000 | 27.17" X 42.13" | Medium-Grey |
| UTSM002010 | 27.17" X 42.13" | Medium-Black |

Roto Waterbase




| ARTICLE | SIZE (x-y-z) | DESCRIPTION |
|------------|-------------------------|-------------|
| UTWM002000 | 34.43" X 24.80" X 6.10" | Large-Grey |
| UTWM002010 | 34.43" X 24.80" X 6.10" | Large-Black |
| UTWM001000 | 28.35" X 22.83" X 6.10" | Small-Grey |
| UTWM001010 | 28.35" X 22.83" X 6.10" | Small-Black |

Newtech Waterbase



| ARTICLE | SIZE (x-y-z) | DESCRIPTION |
|------------|-------------------------|-------------|
| UTWM004000 | 34.43" X 24.80" X 6.10" | Large-Grey |
| UTWM004010 | 34.43" X 24.80" X 6.10" | Large-Black |
| UTWM003000 | 28.35" X 20.87" X 6.10" | Small-Grey |
| UTWM003010 | 28.35" X 20.87" X 6.10" | Small-Black |



UYUP480945
Optional carry tool for WindPro.
Pulling force 13.227 - 17.636 lbs max.

The weights are approximate values per each base.

- Weekly 3,000 pcs production capacity.
- Assembly in 65 seconds.
- Suitable for use -20°C degrees.




See movie at our website
www.mtdisplays.com.tr

Illuminated WindPro® with LED



See movie at our website www.mtdisplays.com.tr



MT Displays' innovative and user friendly Illuminated WindPro with LED is an eye-catcher product will attract consumers to message and place. Energy saving and bright modes are applied with switch easily. Life PO4 battery which provides high power on low weight is hidden on the base to give a neat look at Illuminated WindPro. Lockable UV polycarbonate covers and locked battery compartment keep the poster and battery in safe. The upper frame is weatherproof non-snap body, has elastic rope that hinges the cover and can be secured via 12 locks. The installation of visual is very simple by inserting the visual upwards into metal poster clips.



Charging unit included. Battery can't be charged in the product. Chrome coated zamak mitred look and yet soft finish corners.




Battery will be shipped at full charge capacity see digital LED indication on battery to recharge.



A unique solution as a Pavement Sign with battery



Patent No: OHIM DM/084 128



TZZZ998701
Cable lock kit for WindPro 82.68"



UYPSWL0010
Spare battery

| MATERIAL : Silver & black powder coated frame & waterbase | | | | WEIGHT | PACKING SIZE |
|---|-----------------|-----------------|-----------------|--------------|-------------------------|
| ARTICLE | EXTERNAL (x-y) | POSTER | COPY | WITH PACKING | *W X H X D |
| USWL000NA1 | 25.91" X 35.71" | 23.39" X 33.11" | 22.52" X 32.32" | 77.382 lbs | 33.07" X 55.91" X 4.41" |
| | | | | | 26.77" X 30.71" X 7.80" |

*W:Width H: Height D: Depth

