Waterbase Pavement Signs



Stable, heavy and endurable pavement sign. Suitable to set aside in parking areas, play grounds, shop entrances and busy pavement roads; especially for windy areas. Standard in metallic RAL 9006 color. By opening the plastic stoppers, you can pour in either water or sand to make the stand heavier. The product is packed unassembled. Each base is supplied with industrial salt to prevent freezing in winter conditions. Printing area has a +/- 0.06" tolerance in size.

No tool assembly.


Heavy base provides stability. Suitable for outdoor conditions. Stickers are not included in the original box.



Minimur

Maximum water capacity is 152.163 ounces

Maximum water capacity is 169.070 ounces



MATERIAL : Polystrene			WEIGHT	PACKING SIZE		
ARTICLE	MODEL	WEIGHT with water	WITH PACKING	*W X H X D		
UWPS005000	Pyramid	12.125 lbs	7.859lbs	15.75" X 27.56" X 15.75"		
UWPS001000	A Board	17.636 lbs	7.848 lbs	16.54" X 28.35" X 4.92"		
M&T 2YE			* W:W	idth H: Height D: Depth		

Swinger 2000 Poster - Panel



See movie at our website www.mtdisplays.com.tr

Poster

- Assembled in a few seconds without tools.
- Unique hanging straps enable simple panel interchange without tools.
- Flat packed, instruction sheet included.
- With permanent graphics plus 16.54"x23.39" poster display facility.
- Magnetic edge poster wallet provides excellent weather resistance.
- Quick & easy poster change.
- Standart base colour in black.

Panel

- High impact on street branding exceptional stability, attractive design & wide area to get your message across.
- No tools assembly, water-filled base.
- When base is full 19.841 lbs.
- 19.69"x29.53" display area of aluminum panel.
- Standart base colour in black.

With Both straps open, fit the panel onto the straps as shown. Firmly grasp the sign frame & push the strap sideways to close.



Produced under license of Des. Reg. No.2071096 European Patent No. EP0809227



2000 Panel

SWINGER 200

ARTICLE

USW2000N75

 SWINGER 2000 POSTER : Si

 ARTICLE
 EXTERNAL (x

 USW2000NA2
 23.62"X 36.

Coloured Base



RAL 9005



RAL 3000





RAL 7045

NO TOOLS ASSEMBLY



			_				
00	PANEL : Silver ano	dised aluminium		WEIGHT	PA	PACKING SIZE	
	EXTERNAL (x-y)	PRINTING AREA WITH F		WITH PACKIN	IG *	*W X H X D	
;	23.62"X 36.81"	19.69" X 29.53"		22.046 lbs	24.80	″ X 38.58″ X 5″	
lver anodised aluminium				WEIGHT PACKING S		ING SIZE	
x-y) POSTER	COPY	W	/ITH PACKING	*W	*W X H X D	
.81	" 16.54" X 23.39"	15.75" X 22.64"		21.605 lbs	24.41″X	37.99″X 7.48″	
	1 Pat.			* W	Width H:	Height D: Depth	





2000 Poster

Waterbase Wind Sign



See movie at our website www.mtdisplays.com.tr

Various sizes are available all with mitred corners. After the closure of the side profiles, the rubber seal inside the wind sign in addition with over size PET makes the product waterproof. The easy-to-open snap frame includes an anti-reflex cover suitable for external use when equipped with a water wick. Product is double sided. The steel springs provide the flexibility to ensure stability. The wheels enable the movement of the units.



The product is packed unassembled. Water base of A2, A1, 500x700 mm 20 kg. Water base of A0, 700x1000 mm 33 kg. Each base is supplied with industrial salt to prevent freezing in winter conditions. Each product comes unassembled with easy-to-understand instruction sheet & fixing set.

Base standard in metallic grey color. Other colors are available upon request. Suitable for windy & rainy conditions, protects the poster within. Ground wheels in upside position facilitate movement of the product.



